

SPECIFICATION NOTES

EXISTING SERVICES TO SITE

ELECTRICITY SUPPLY

The existing electric mains that feeds into the existing changing room structure has been investigated by a local electrician. It is reported that, although the supply is of three phase infrastructure, only one phase of supply has been connected up.


The additional demand that will be required to accommodate the new floodlighting to the football pitch (105 amps), and the energy demand of the new changing module (96 amps), requires that a three phase supply is provided.

WATER SUPPLY

It is anticipated that the existing water supply to the existing changing pavilion will have sufficient capacity to also serve the new changing unit - to be confirmed

The existing underground drainage installation is located to the south-west corner of the existing changing pavilion and appears to be operating efficiently. It is anticipated that the existing system will be capable of receiving the new drainage outlet from the new changing unit - to be confirmed.

It is known that there is a built structure within the graded ground to the south of the existing changing pavilion, found whilst whilst installing the synthetic surface to the tennis courts. Investigation, at that time, suggested that it served no current purpose and was, perhaps, the remains of a retention structure that was associated with an original structure that sat at that location.



nternal dimensions are finished sizes unless otherwise stated.

REVISION SCHEDULE

Description Date

DO NOT SCALE FROM DRAWING :: SITE CHECK DIMENSIONS

All dimensions to be site checked by the Contractor and all discrepancies to be advised to the Architect prior to the work

This Drawing Is Copyright

This is the drawing referred to in my application

Dated :: .

ngned :: .

CLIENT **WKCSC**

KIRKTONHALL GLEN :: PROPOSED NEW SYNTHETIC SURFACE & CHANGING UNIT

PROPOSED CHANGING UNIT

Scale	Date	Drawn by
1:100	01_07_25	emcm
Job No.	Drawing No.	Revision No.
25013	DD112	

McMILLAN & CRONIN

chartered architects & planning consultants

24 MAIN STREET, LARGS :: KA30 8AB mail@mcmillancronin.co.uk

fax (44) 01475 686331